# **Subject index to Volume 19**

# A

- Adenovirus vector (replication deficient) for delivery of recombinant aequorin to organelles, 133
- Aequorin delivery to organelles using a replication deficient adenovirus vector, 133
- Age-related abnormalities in regulation of the ryanodine receptor in rat fast-twitch muscle. 15
- Agonist-evoked calcium efflux from a functionally discrete compartment in *Xenopus* oocytes, 201
- Agonist-stimulated free calcium in subcellular compartments, delivery of recombinant aequorin to organelles using a replication deficient adenovirus vector, 133
- Apoptosis or necrosis of target cells, distinct Ca<sup>2+</sup> response patterns in human natural killer cells during induction of, 297
- AR4-2J cell line coexpresses dihydropyridine and  $\omega$ -conotoxin sensitive Ca<sup>2+</sup> channels, 495
- Arginine vasopressin, apical and basolateral stimulation with: fluorescent analysis in polarized MDCK cell monolayers, intracellular pH and calcium interactions after, 307

# B

- Bcl-2 acts subsequent to and independent of Ca<sup>2+</sup> fluxes to inhibit apoptosis in thapsigargin- and glucocorticoid-treated mouse lymphoma cells, 473
- Bombesin, generation of repetitive Ca<sup>2+</sup> transients by, requires intracellular release and influx of Ca<sup>2+</sup> through voltage-dependent and voltage independent channels in single HIT cells. 485
- Bombesin-stimulated HIT-T15 cells, oscillations of cytosolic free calcium in. 535
- Bradykinin, [Ca<sup>2+</sup>], oscillations induced by, in rat glioma cells associated with Ca<sup>2+</sup> store-dependent Ca<sup>2+</sup> influx are controlled by cell volume and by membrane potential, 143

# C

- Calcium changes (near membrane) resulting from store release in neutrophils, detection by FFP-18, 355
- Calcium channels
  - AR4-2J cell line coexpresses dihydropyridine and ωconotoxin sensitive, 495
  - L-type voltage-gated, in a clonal pituitary cell line (AtT-20) of cultured mouse corticotropes, spontaneous transients of [Ca<sup>2+</sup>] depend on external calcium and the activation of 327
  - voltage-dependent and voltage independent, in single HIT cells, generation of repetitive Ca<sup>2+</sup> transients by bombesin requires intracellular release and influx of Ca<sup>2+</sup> through, 485
  - voltage-dependent, myoblast fusion requires cytosolic calcium elevation but not activation of, 365
  - voltage-independent, pharmacological and functional properties of, 269

- Calcium current, characterisation of the voltage-activated, in the marine ciliate *Euplotes vannus*, 229
- Calcium efflux (agonist-evoked) from a functionally discrete compartment in Xenopus oocytes, 201
- Calcium elevation (cytosolic) but not activation of voltagedependent calcium channels required for myoblast fusion, 365
- Calcium (free), agonist-stimulated, in subcellular compartments, delivery of recombinant aequorin to organelles using a replication deficient adenovirus vector, 133
- Calcium imaging and laser scanning microscopy, 281
- Calcium imaging shows differential sensitivity to cooling and communication in luminous transgenic plants, 211
- Calcium (intracellular), focal increases in, may account for apparent low Ca<sup>2+</sup> sensitivity in swine carotid artery, 501
- Calcium influx (activation of) and inhibition of agonist-induced calcium mobilization in rat glomerulosa cells, dual effects of fluoroaluminate on, 29
- Calcium mobilisation
  - inhibition of agonist-induced, in rat glomerulosa cells, dual effects of fluoroaluminate on activation of calcium influx and 29
  - isometric tension and, in bovine tracheal smooth muscle, effects of salbutamol and histamine, 73 modulates growth of lens cells, 83
- Calcium oscillation(s)
  - cytosolic free, in bombesin-stimulated HTT-T15 cells, 535 patterns, crosstalk between cellular morphology and (insights from a stochastic computer model), 461
  - intracellular, induced by bradykinin in rat glioma cells associated with Ca<sup>2+</sup> store-dependent Ca<sup>2+</sup> influx are controlled by cell volume and by membrane potential,
  - in Xenopus laevis melanotrope cells, spatial and temporal aspects of, 219
- Calcium release
  - channels, biochemical and functional heterogeneity of rat cerebrum microsomal membranes in relation to SERCA Ca<sup>2+</sup>-ATPases and, 375
  - effects of luminal Ca<sup>2+</sup> on inositol trisphosphate-induced (Correspondence and Reply), 91
  - from intracellular stores and membrane potential, interplay between (rat chromaffin cells), 113
  - from mitochondria by respiratory substrates, control of the pyridine nucleotide-linked, 521
  - InsP<sub>3</sub>-mediated, and the lysosomal compartment as intracellular calcium store in MDCK cells 157
- Calcium reserves in activated Jurkat T lymphocytes, effects of staurosporine on the capacitative regulation of the state of the , 509
- Calcium response patterns (distinct) in human natural killer cells during induction of necrosis or apoptosis of target cells, 297
- Calcium signalling in chromaffin cells (rat), 113

granule neurones studied in cerebellar slices, 59 nervous system, *P.G. Kostyuk, A.N. Verkhratsky* (Book review), 267

vascular smooth muscle, mechanisms for, resolved from <sup>45</sup>Ca uptake and efflux experiments, 167

- Calcium stores (intracellular) in a sympathetic neuron cell line, activation of the nitric oxide/cGMP pathway is required for refilling, 399
- Calcium transients (repetitive), generation by bombesin requires intracellular release and influx of Ca<sup>2+</sup> through voltage-dependent and voltage independent channels in single HIT cells, 485
- Calcium uptake (vesicular) in Dictyostelium, calmodulinantagonists inhibit, 105
- Calcium waves (propagated intercellular) in vascular endothelial monolayers and vasodilators 97
- Calcium-activated currents in neurons, mechanism of action of the NSAI drug flufenamate, 431
- Calcium-ATPase, oxidised low density lipoprotein inhibits platelet plasma membrane, 453
- Calcium-ATPases and Ca<sup>2+</sup> release channels, biochemical and functional heterogeneity of rat cerebrum microsomal membranes in relation to SERCA, 375
- Calcium-dependent
  - Ca<sup>2+</sup>-release mechanisms and inositol trisphosphate and, interactions between, on the endoplasmic reticulum of permeabilised bovine aortic endothelial cells, 315
  - exocytosis in pituitary melanotrophs, comparison of the photolabile calcium chelators nitrophenyl-EGTA and DM-nitrophen, 185
  - exocytosis, pancreastatin inhibits insulin secretion in RINm5F cells through obstruction of G-protein mediated, 125
- Calcium-induced calcium release (CICR) in
  - neurones (Review), 1 single smooth muscle cell, high cytoplasmic Ca<sup>2+</sup> levels reached during, as reported by a low affinity Ca<sup>2+</sup> indicator Mag-Indo—1, 391
- Calcium-sensing receptor coupled to release of intracellular calcium stores, evidence for a, 43
- Calmodulin-antagonists inhibit vesicular Ca<sup>2+</sup> uptake in Dictvostelium. 105
- cAMP elevating agents, effects of, on carbachol-induced phosphoinositide hydrolysis and calcium mobilization in cultured canine tracheal smooth muscle cells, 243
- Carbachol-induced phosphoinositide hydrolysis and calcium mobilization in cultured canine tracheal smooth muscle cells, effects of cAMP elevating agents on, 243
- Cardiac myocytes, photolysis of caged compounds characterized by ratiometric confocal microscopy, a new approach to homogeneously control and measure the calcium concentration in, 255
- Carotid artery (swine), focal increases in [Ca<sup>2+</sup>], may account for apparent low Ca<sup>2+</sup> sensitivity in, 501
- Catecholamine secretion, Mn<sup>2+</sup> can substitute for Ca<sup>2+</sup> in causing, in bovine adrenal chromaffin cells, 419
- Cation (divalent) channel distinguishable from endogenous receptor-activated channels, injection of rat hepatocyte poly(A)\*RNA to *Xenopus laevis* oocytes leads to expression of a constitutively-active, 439
- Cell volume and membrane potential control [Ca<sup>2+</sup>], oscillations induced by bradykinin associated with Ca<sup>2+</sup> store-dependent Ca<sup>2+</sup> influx, 143
- Cerebellar slices, calcium signalling in granule neurones

- ctudied in 50
- cGMP is not required for capacitative Ca<sup>2+</sup> entry in Jurkat Tlymphocytes, 351
- Chromaffin cells
  - bovine adrenal, Mn<sup>2+</sup> can substitute for Ca<sup>2+</sup> in causing catecholamine secretion but not for increasing tyrosine hydroxylase phosphorylation in, 419
- rat, Ca<sup>2+</sup> signalling in, 113
  Confocal microscopy (ratiometric), photolysis of caged compounds characterized by, a new approach to homogeneously control and measure the calcium concentration in cardiac myocytes, 255

# D

- Depolarization-induced elevations of cytosolic free calcium in human neuroblastoma cells,  $\alpha$ -parvalbumin reduces, 527
- Dictyostelium, calmodulin-antagonists inhibit vesicular Ca<sup>2+</sup> uptake in. 105
- Dihydropyridine and ω-conotoxin sensitive Ca<sup>2+</sup> channels, AR4-2I cell line coexpresses. 495
- DM-nitrophen and nitrophenyl-EGTA, comparison of the photolabile calcium chelators, 185

# E

- Effects of staurosporine on the capacitative regulation of the state of the Ca<sup>2+</sup> reserves in activated Jurkat T lymphocytes, 509
- Endoplasmic reticulum
  - permeabilised bovine aortic endothelial cells, interactions between inositol trisphosphate and Ca<sup>2+</sup>-dependent Ca<sup>2+</sup>-release mechanisms on the, 315 concentration of calcium ions in, 547
- Endothelium-dependent vasodilators do not cause propagated intercellular Ca<sup>2+</sup> waves in vascular endothelial monolayers,
- Ether lipid-induced cell damage of neuroblastoma cells is only weakly correlated with increased intracellular Ca<sup>2+</sup> levels, 383
- Euplotes vannus, characterisation of the voltage-activated calcium current in, 229

# F

- FFP-18, detection by, near membrane Ca<sup>2+</sup> changes resulting from store release in neutrophils, 355
- Flufenamate (NSAI drug) on [Ca<sup>2+</sup>], and Ca<sup>2+</sup>-activated currents in neurons, mechanism of action, 431
- Fluorescent analysis in polarized MDCK cell monolayers, intracellular pH and calcium interactions after apical and basolateral stimulation with arginine vasopressin, 307
- Fluorescent ion indicators for simultaneous measurements of pH and Ca<sup>2+</sup>, 337
- Fluoroaluminate on activation of calcium influx and inhibition of agonist-induced calcium mobilization in rat glomerulosa cells, dual effects of, 29

# G

- G-protein mediated calcium-directed exocytosis, pancreastatin inhibits insulin secretion in RINm5F cells through obstruction of, 125
- Glioma cells (rat), [Ca2+], oscillations induced by bradykinin

associated with Ca2+ store-dependent Ca2+ influx are controlled by cell volume and by membrane potential, 143

Glomerulosa cells (rat), dual effects of fluoroaluminate on activation of calcium influx and inhibition of agonistinduced calcium mobilization, 29

Growth of lens cells, calcium mobilisation modulates, 83

High cytoplasmic Ca2+ levels reached during Ca2+-induced Ca2+ release in single smooth muscle cell as reported by a low affinity Ca2+ indicator Mag-Indo-1, 391

Histamine and salbutamol, effects of, calcium mobilization and isometric tension in bovine tracheal smooth muscle, 73

Inositol trisphosphate (InsP.)

Ca2+-dependent Ca2+-release mechanisms and, interactions between, on the endoplasmic reticulum of permeabilised bovine aortic endothelial cells, 315

-induced Ca2+ release, effects of luminal Ca2+ on: facts or artifacts? (Correspondence and Reply), 91

-mediated Ca2+ release, and the lysosomal compartment as intracellular calcium store in MDCK cells 157

Insulin secretion in RINm5F cells inhibited by pancreastatin through obstruction of G-protein mediated, calciumdirected exocytosis, 125

Isometric tension in bovine tracheal smooth muscle, 73

Jurkat T lymphocytes

activated, effects of staurosporine on the capacitative regulation of the state of the Ca2+ reserves in, 509 cGMP is not required for capacitative Ca2+ entry in, 351

Laser scanning microscopy and calcium imaging, 281 Lens cells, calcium mobilisation modulates growth of, 83 Low density lipoprotein (oxidized) inhibits platelet plasma membrane Ca2+-ATPase, 453

L-type Ca2+ channel current, 24,25(OH), vitamin D3 modulates the, in UMR 106 cells, 193

Lysosomal compartment as intracellular calcium store in MDCK cells and InsP<sub>3</sub>-mediated Ca<sup>2+</sup> release, 157

Mag-Indo-1 (a low affinity Ca2+ indicator) reports of high cytoplasmic Ca2+ levels reached during Ca2+-induced Ca2+ release in single smooth muscle cell, 391

MDCK cell monolayers (polarized), fluorescent analysis in, intracellular pH and calcium interactions after apical and basolateral stimulation with arginine vasopressin, 307

Membrane potential and Ca2+ release from intracellular stores, interplay between (rat chromaffin cells), 113

cell volume control [Ca2+], oscillations induced by bradykinin associated with Ca2+ store-dependent Ca2+ influx,

myoplasmic [Ca2+] (measurement of) in developing rat myotubes at rest and in response to stimulation, 409

Microsomal membranes (rat cerebrum), biochemical and functional heterogeneity of, in relation to SERCA Ca2+-ATPases and Ca2+ release channels, 375

Mitochondria, control of the pyridine nucleotide-linked Ca2+ release from, by respiratory substrates, 521

Mn2+ can substitute for Ca2+ in causing catecholamine secretion but not for increasing tyrosine hydroxylase phosphorylation in bovine adrenal chromaffin cells, 419

Muscle (fast-twitch), age-related abnormalities in regulation of the ryanodine receptor in rat, 15

Myoblast fusion requires cytosolic calcium elevation but not activation of voltage-dependent calcium channels, 365

Myotubes (developing rat) at rest and in response to stimulation, measurement of membrane potential and myoplasmic [Ca2+] in, 409

Natural killer cells (human) during induction of necrosis or apoptosis of target cells, distinct Ca2+ response patterns in, 297

Neuroblastoma cells

ether lipid-induced cell damage of, is only weakly correlated with increased intracellular Ca2+ levels, 383

human, α-parvalbumin reduces depolarization-induced elevations of cytosolic free calcium in, 527

sympathetic, cell line, activation of the nitric oxide/cGMP pathway is required for refilling intracellular Ca2+ stores in, 399

granule, in cerebellar slices, calcium signalling in, 59 mechanism of action of the NSAI drug flufenamate on [Ca2+], and Ca2+-activated currents in, 431

Neutrophils, near membrane Ca2+ changes resulting from store release in (detection by FFP-18), 355

Nitric oxide/cGMP pathway, activation of the, is required for refilling intracellular Ca2+ stores in a sympathetic neuron cell line, 399

Nitrophenyl-EGTA and DM-nitrophen, comparison of the photolabile calcium chelators, 185

Non-steroidal anti-inflammatory drug flufenamate on [Ca2+], and Ca2+-activated currents in neurons, mechanism of action of the, 431

Pancreastatin inhibits insulin secretion in RINm5F cells through obstruction of G-protein mediated, calciumdirected exocytosis, 125

Parvalbumin (alpha) reduces depolarization-induced elevations of cytosolic free calcium in human neuroblastoma cells,

Phosphoinositide-mediated phototransduction in Drosophila photoreceptors, the role of Ca2+ and trp. [R.C. Hardie, B. Minke. Cell Calcium 1995; 18(4): 256-274, erratum], 95

Photolysis of caged compounds characterized by ratiometric confocal microscopy, a new approach to homogeneously control and measure the calcium concentration in cardiac myocytes, 255

Photoreceptors (Drosophila), phosphoinositide-mediated phototransduction in [R.C. Hardie, B. Minke. Cell Calcium 1995; 18(4): 256-274. erratum], 95

Pituitary cell (clonal) line (AtT-20) of cultured mouse corticotropes, spontaneous transients of [Ca2+], depend on external calcium and the activation of L-type voltage-gated calcium channels, 327

Pituitary cells (bovine anterior), effect of extracellular polyvalent cations on, 43

Pituitary melanotrophs, calcium-dependent exocytosis in, 185 Plants (luminous transgenic) calcium imaging shows differential sensitivity to cooling and communication in, 211

Platelet plasma membrane, oxidised low density lipoprotein inhibits Ca2+-ATPase in, 453

Poly(A)+ RNA (rat hepatocyte), injection of, to Xenopus laevis oocytes leads to expression of a constitutively-active divalent cation channel distinguishable from endogenous receptor-activated channels, 439

Polyvalent cations (extracellular) on bovine anterior pituitary cells, evidence for a Ca2+-sensing receptor coupled to release of intracellular calcium stores, 43

Protein kinase A and protein kinase C, involvement of, 24,25(OH), vitamin D, modulates the L-type Ca2+ channel current in UMR 106 cells, 193

Pyridine nucleotide-linked Ca2+ release from mitochondria by respiratory substrates, control of the, 521

Receptor (Ca2+-sensing) coupled to release of intracellular calcium stores, evidence for a, 43

Ryanodine receptor in rat fast-twitch muscle, age-related abnormalities in regulation of the . 15

Salbutamol and histamine, effects of, calcium mobilization and isometric tension in bovine tracheal smooth muscle, 73

Smooth muscle, bovine tracheal, calcium mobilizationin and isometric tension in, effects of salbutamol and histamine, 73 Smooth muscle cells (cultured canine tracheal), effects of cAMP elevating agents on carbachol-induced phosphoinositide

hydrolysis and calcium mobilization in, 243 Staurosporine, effects of, on the capacitative regulation of the state of the Ca2+ reserves in activated Jurkat T lymphocytes, 509

Tyrosine hydroxylase phosphorylation increase in bovine adrenal chromaffin cells, Mn2+ cannot substitute for Ca2+ to cause, 419

Vascular smooth muscle mechanisms for Ca signalling in, 167 Vasodilators, endothelium-dependent, do not cause propagated intercellular Ca2+ waves in vascular endothelial monolayers,

Vitamin D<sub>3</sub> [24,25(OH)<sub>2</sub>] modulates the L-type Ca<sup>2+</sup> channel current in UMR 106 cells, involvement of protein kinase A and protein kinase C, 193

ω-conotoxin and dihydropyridine sensitive Ca2+ channels, AR4-2J cell line coexpresses, 495

# x

Xenop. laevis melanotrope cells, spatial and temporal aspects of Ca2+ oscillations in, 219

Xenopus laevis oocytes

agonist-evoked calcium efflux from a functionally discrete compartment in, 201

injection of rat hepatocyte poly(A)+ RNA to, leads to expression of a constitutively-active divalent cation channel distinguishable from endogenous receptor-activated channels, 439

# **Author index to Volume 19**

# A

Ahnadi CF, 509 Aidulis DM, 315 Almers W, 185 Auld AM, 439

# В

Badminton MN, 133 Bakker AJ, 409 Barritt GJ, 439 Bastié MJ, 495 Bawden MJ, 439 Benedetti A, 375,547 Benishin CG, 73 Bertrand V, 495 Berven LA, 439 Bian X, 351 Bird GStJ, 351 Bouisson M, 495 Brabant G, 485 Brinkmeier H, 383 Brooks AE. Bygrave FL, 547

# C

Campbell AK, 133,211 Casteels R, 91 Chen X-L, 501 Chik CL, 193 Chiu C-T, 243 Chouinard L, 29 Clementi E, 269 Cognard C, 365 Constantin B, 365

# E

D'Andrea P, 113
Damiani E, 15
Davies EV, 355
Dawson AP, 83
De Smedt H, 91
Dean WL, 453
Deetjen P, 157
Demer LL, 97
Dierichs R, 453
Dietl P, 157
Distelhorst CW, 473
Dreessen J, 527
Duncan G, 83
Dunkley PR, 419
Dupuis G, 509

# E

Ellis-Davies GCR, 185

### F

Fan L-W, 243 Fayazi A, Fiekers JF, 327 Fulceri R, 375

# G

Gagnon J-S, 29 Gallo-Payet N, 29 Gamberucci A, 375 Ganitkevich VYa, 391 Gillespie JI, 315 Gogvadze V, 521 Goldhaber JI, 97 Gould EM, 501 Grazzini E, 29 Griner M, 105 Guillon G, 29

# H

Haller T, 157 Hallett MB, 355 Harland L, 439 Harrington MA, 399 Harrison SM, 419 Head SI, 409 Heizmann CW, 527 Hertelendy ZI, 125 Hirche H, 391 Hirsh AJ, 73 Ho AK. 193 Honda HM, 97 Honda Y, 297 Hsieh J-T, 243 Hsu M-C, 243 Huang BK, Hughes BP, 439

# j

Jarvie PE, 419 Jenks BG, 219 Jones RL, 73

# K

Karpinski E, 193 Kendall JM, 133 Kirischuk S, 59 Knight MR, 211 Knittel JJ, 125 Knöpfel T, 527 Konopka LM, 327 Kostyuk P, 59 Kraus M, 461 Krüppel T, 229

# 1

Lapidot SA, Larsson L, 15 Lee RJ, 431 Leitolf H, 485 Li B, 193 Li G, 535 Lipinsky D, 201 Lipp P, 255 Lupu-Meiri M, 201 Lüscher C, 255 Lutum C, 527 Lynch RM, 337

# M

Mader T, 485
Malchow D, 105
Man SFP, 73
Margreth A, 15
Martínez-Zaguilán R, 337
McCormick TS, 473
Meldolesi J, 269
Miller FN, 453
Missiaen L, 91
Miyazaki S, 297

# N

Niggli E, 255 Nori A, 375

# 0

O'Brien KJ, 419 Ong R, 243 Oron Y, 201 Otun H, 315

# P

Pang PKT, 73 Parnami G, 337 Parsons TD, 185 Partridge LD, 431 Parys JB, 91 Patel DG, 125 Payet MD, 509 Phair RD, 167 Powis DA, 419 Pradayrol L, 495 Pralong W-F, 535 Prezeau L, 29 Putney Jr JW, 351

# R

Raymond G, 365 Reddan JR, 83 Reetz G, 143 Reiser G, 143 Rembold CM, 501 Riach RA, 83 Richter C, 521 Rössig L, 485 Roubos EW, 219 Rüdel R, 383 Russek LN,

# S

Sala-Newby GB, 133 Sandquist M, 431 Schäfer BW, 527 Scheenen WJJM, 219 Schild D, 281 Schneider M, 383 Schofield JG, 43 Schöfl C, 485 Schweizer M, 521 Shapira H, 201 Shaw T, 431 Shmigol A, 1 Shorte SL, 29 Shuttleworth TJ, 93 Sienaert I, 91 Stephenson DG, 409 Strickberger SA,

# T

Taniguchi N, 193 Thompson SH, 399 Thorn P, 113 Toescu E, 267 Trewavas AJ, 211 Tsao H-L, 243

# V

Vamos S, 307 van Dinter RJAM, 219 Van Riper DA, 501 Vanlingen S, 91 Vaysse N, 495 Verkhratsky A, 1,59 Voitenko N, 59 Völkl H, 157 Volpe P, 375 von zur Mühlen A, 485

# W

Webb SF, 83 Weiss JN, 97 Welling LW, 307 Wiegmann TB, 307 Wilkinson GWG, 133 Williams MR, 83 Wissing F, 229 Wolf B, 461 Wollheim CB, 535

# Y

Yang C-M, 243 Yang JM, 315

# Z

Zhao B, 453

